

Duck Infectious Serositic and Colibacillosis Vaccine, Inactivate (Type 1 Strain CZ12+ Type O78 Strain SH)

NAME OF VETERINARY MEDICINE

English name: Duck infectious Serositic and Colibacillosis Vaccine, Inactivate (Type 1 Strain CZ12+ Type O78 Strain SH)
Chinese pinyin: Ya Chuanranxingjiangmoyan, Dachangganjunbing Erlian Miehuoyimiao (1Xing CZ12 zhu+ O 78 Xing SH zhu)

MAIN INGREDIENTS AND CONTENT

The vaccine contains $2.0\sim 4.0\times 10^9$ CFU/ml of serotype 1 *Riemerella anatipestifer* CZ12 strain and $3.0\sim 6.0\times 10^9$ CFU/ml of serotype O78 *Escherichia coli* SH strain.

CHARACTER

Milky white homogeneous emulsion.

FUNCTIONS AND USES

It is used to prevent Duck Infectious Serositis caused by *Riemerella anatipestifer* serotype 1 and Duck Colibacillosis caused by *Escherichia coli* serotype O78. The immunization period is 2 months.

USAGE AND DOSAGE

Subcutaneous injection into the neck. For ducks over 3~7 days old, 0.3ml each.

ADVERSE REACTIONS

Generally, there are no visible adverse reactions.

MATTERS NEEDING ATTENTION

- (1) Only used to immunize healthy ducks.
- (2) Do not freeze. Vaccines that have been frozen are strictly prohibited from use.
- (3) The temperature of the vaccine should be raised to room temperature before use, and the vaccine should be shaken well.
- (4) Do not use when there is demulsification, delamination, or deterioration.
- (5) After the vaccine is opened, it can only be used up on that day.
- (6) Routine aseptic operations should be performed during immunization.

STORAGE AND STORAGE PERIOD

Store at $2\sim 8^{\circ}\text{C}$, and the validity period is 24 months.

APPROVAL NUMBER

SYSZ 240052356

PRODUCTION ENTERPRISE

Guizhou Firstv Biological Technology Co.Ltd

Address: No. 268, kechuang south road, Baiyun District, Guiyang City, Guizhou Province, China.

Postcode: 550014

The phone: 0851-84603559 Fax: 0851-84603559

USE ONLY UNDER VETERINARY GUIDANCE

Firstv[®]