

Porcine Circovirus Type 2 Vaccine, Inactivated (ZJ/C Strain)**NAME OF VETERINARY MEDICINE**

English name: Porcine Circovirus Type 2 Vaccine, Inactivated (ZJ/C Strain)

Chinese pinyin: Zhu yuan huan bing du 2 xing mie huo yi miao (ZJ/C Zhu)

MAIN INGREDIENTS AND CONTENTThe vaccine contained porcine circovirus type 2 ZJ/C strain with virus content $\geq 10^{7.3}$ TCID₅₀ per ml before inactivation.**CHARACTER**

Pale pink or yellowish emulsion.

FUNCTIONS AND USES

For the prevention of diseases caused by porcine circovirus type 2 infection. The immunization period is 4 months.

USAGE AND DOSAGE

Intramuscular injection into the neck. For pigs over 14 days of age, 2.0ml/pigs.

ADVERSE REACTIONS

Generally no adverse reactions.

MATTERS NEEDING ATTENTION

- (1) This product is only suitable for the vaccination of healthy pigs.
- (2) The temperature of the vaccine should be brought to room temperature before use, and it should be thoroughly shaken.
- (3) The vaccine vial shall be used up on the same day after opening.
- (4) This product is strictly forbidden to freeze. Do not use after appearing demulsification.
- (5) Vaccine bottles and remaining vaccines should be treated innocuously by burning or boiling.
- (6) If allergic reaction occurs during the inoculation of pigs, epinephrine can be used for treatment.

SPECIFICATIONS

(1) 10 ml/ bottle (2) 20 ml/ bottle (3) 50 ml/ bottle (4) 100 ml/ bottle (5) 250 ml/ bottle

PACKAGE

(1) 600 bottles/case (2) 300 bottles/case (3) 200 bottles/case (4) 100 bottles/case (5) 40 bottles/case

STORAGE AND STORAGE PERIOD

Store at 2 ~ 8 °C for 18 months.

APPROVAL NUMBER

SYSZ240051088

PRODUCTION ENTERPRISE

Guizhou Firstv Biological Technology Co.Ltd

Address: No. 268, kechuang south road, Baiyun District, Guiyang City, Guizhou Province, China.

Postcode: 550014

The phone: 0851-88582365 Fax: 0851-88582367

USE ONLY UNDER VETERINARY GUIDANCE

Firstv[®]